



# Övning: Skapa ett nytt formulär



- Den här övningen förklarar hur man skapar ett nytt formulär och hur fält läggs till i det.
- Övningen använder applikationen "Pharmaceutical company" som finns tillgänglig under alla prova-på-konton.

# Logga in



**Log in** 

Username:

Password:

[Forgot your password?](#)

- Gå till [public.istools.com](http://public.istools.com) i din webbläsare.
- Logga in med hjälp av uppgifterna i ditt välkomstmail från oss.

# Navigera bland formulär

**Medicine information**


**Description**  
Chloroquine  [Back to Home form](#)

Generic name: Chloroquine      Route: Injection

Brand name: CHLOROMALARIX      Components: (RS)-N-(7-chloroquinolin-4-yl)-N,N-diethyl-pentane-1,4-diamine

Therapy group: Infections and

Classification: Antimalarial



**Description**  
Chloroquine is used to prevent or treat malaria caused by mosquito bites in countries where malaria is common. Malaria parasites can enter the body through these mosquito bites, and then live in body tissues such as red blood cells or the liver. This medication is used to kill the malaria parasites living inside red blood cells. In some cases, you may need to take a different medication (such as primaquine) to kill the malaria parasites living in other body tissues. Both drugs may be needed for a complete cure and to prevent the return of infection (relapse).


**Interaction**  
Some products that may interact with this drug include: agalsidase, mefloquine, penicillamine, sulfadoxine/pyrimethamine, products that may harm the liver (such as acetaminophen, isoniazid, alcohol).  
This medication can speed up or slow down the removal of other medications from your body, which may affect how they work. Examples of affected drugs include cyclosporine and praziquantel among others.

**Dosage**  
To prevent malaria, take chloroquine once weekly on the same day each week, or as directed by your doctor. Start this medication usually 1 to 2 weeks before you enter the malarious area, continue to take it weekly while in the area, and weekly for 4 to 8 weeks after leaving the area, or as directed by your doctor. Mark your calendar or travel schedule with a reminder to help you remember.

**Side effects**  
Blurred vision, nausea, vomiting, abdominal cramps, headache, and diarrhea may occur. If any of these effects persist or worsen, tell your doctor or pharmacist promptly.  
Remember that your doctor has prescribed this medication because he or she has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects.  
Tell your doctor immediately if any of these unlikely but



- Fäll ut "Application forms"-mappen i huvudmenyn genom att klicka på namnet.
- Klicka på länkarna och ta en minut att bekanta dig med formulären som visas.
- Målet med denna övning är att lägga till ett formulär som innehåller generell information.

# Formulärdesignern




- Fäll ut mappen "Administration" i huvudmenyn.
- Klicka på "Application configuration".
- Växla till fliken "Form designer" längst upp på skärmen.

# Skapa ett formulär




- Klicka på knappen "Form" och välj "New".
- Skriv "Overall" som formulärnamn och klicka sedan på "Create".
- Detta är den grafiska redigeraren för formulär.


# Lägga till en sektion



- Klicka på tabellen "Medicine", drag och släpp den i det tomma området i formuläret.
- Välj "Table section" som "Section type" och klicka på knappen "Create".
- Sektionen är nu skapad, fast inga fält har lagts till än.



# Lägga till fält i formulär



- Leta upp fältet "Brand name" i listan över fält som visas till vänster om det öppna formuläret.
- Klicka på det, drag och släpp fältet i sektionen.
- Lägg till andra fält på samma sätt, antingen ett i taget eller flera på en gång.

# Placering

Overall


Medicine					
Brand name	Classification	Therapy group	Description	Route	

Showing results 1-45

- Kolumnerna kan markeras och flyttas oberoende av varandra till dess att de är placerade i den ordning du vill visa dem i.
- Du kan också justera storleken på fälten eller sektionen.




# Placering



- Alternativt:  
Ytterligare val och reglage för de markerade beståndsdelarna av formuläret kan nås genom att öppna panelen "Component properties".

# Spara ändringar i formulär



- När du är nöjd med utseendet på formuläret sparas ändringarna genom att klicka på Save-ikonen i toppen av formulärdesignern.
- Visa det uppdaterade formuläret genom att klicka på “Overall” i applikationsmenyn. Det bör nu likna formuläret som visas på nästa sida!

# Grattis, nu är du färdig!

**Overall**

Brand name	Classification	Therapy group	Description	Route	
ANFITAMINEX	Stimulant	Central nervous system	This stimulant increases t...	Oral	
ESPIRINIX	Analgesic	Pain and consciousness	Aspirin is used to reduce f...	Oral	
CHLOROMAL...	Antimalarial	Infections and infestations	Chloroquine is used to pr...	Injection	
DIAZEPAMIX	Tranquilizer	Central nervous system	It is a benzodiazepine dru...	Oral	
ETHANOLIS	Antiseptic	Infections and infestations	Also called pure alcohol, i...	Topical	
IODINIS	Antiseptic	Infections and infestations	Topical iodine is used to p...	Topical	
LITHIUMIX	Mood stabilizer	Central nervous system	Lithium is used to treat th...	Oral	
LOVASTATIX	Statin	Cardiovascular	Lovastatin reduces levels...	Oral	
MEPROBAMA...	Tranquilizer	Central nervous system	Meprobamate is used to r...	Oral	
MORFENX	Analgesic	Pain and consciousness	Morphine is is a potent op...	Sublingual	
PARACETAM...	Analgesic	Pain and consciousness	Paracetamol is a pain reli...	Oral	
CILLINEX	Antibiotic	Infections and infestations	Penicillin V is an antibiotic...	Oral	
PHENOLEIX	Antiseptic	Infections and infestations	It is an oral anesthetic an...	Oral	
PRAVASTINIX	Statin	Cardiovascular	It reduces levels of "bad"...	Oral	
EFFEMINIX					

Showing results 1-16

Skapa egna tjänster i molnet 



Skapa egna tjänster i molnet 